




# DumpTorrent

[HOME](#)
[CERTIFICATIONS](#)
[ABOUT](#)
[HOW TO PAY?](#)
[GUARANTEE](#)
[FAQ](#)

**TRY BEFORE YOU BUY**

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



<p></p> <p><b>QUALITY AND VALUE</b></p> <p>ExamsTorrent Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all vce.</p>	<p></p> <p><b>TESTED AND APPROVED</b></p> <p>We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.</p>	<p></p> <p><b>EASY TO PASS</b></p> <p>If you prepare for the exams using our ExamsTorrent testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.</p>	<p></p> <p><b>TRY BEFORE BUY</b></p> <p>ExamsTorrent offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.</p>
--	--	--	--

<http://www.dumptorrent.com>

High-quality Exam Torrent & Valid Test Dumps & Reliable Guide Torrent

**Exam** : **NS0-502**

**Title** : NetApp Certified  
Implementation Engineer-SAN  
and Virtualization

**Vendor** : Network Appliance

**Version** : DEMO

NO.1 An organization currently has a NetApp Fibre Channel block-based solution. With limited budget and resources, they want to create a new disaster recovery site that utilizes a NetApp solution. What would the optimal solution include?

- A.SnapMover and Fibre Channel at the disaster recovery site for all hosts
- B.SnapMirror and iSCSI at the disaster recovery site for all hosts
- C.Fibre Channel at both locations using ftp to replicate storage
- D.MetroCluster and NAS

**Answer:** B


NO.2 Click the Exhibit Button The table highlights the space management policy that is defined for a particular flexvol, acmevol. Based on the information provided in the table, which action will the storage controller take when it runs out of space in the volume?

Guarantee	= none
LUN Reservation	= on
Fractional_reserve	= 0%
Snap_reserve	= 0%
Auto_delete	= volume
Auto_grow	= off
Try_first	= snap_delete

- A.It will try deleting Snapshot copies first to reclaim space before trying to grow the volume.
- B.It will grow the volume before deleting Snapshot copies.
- C.It will only try deleting Snapshot copies to reclaim space and will not grow the volume.
- D.It is irrelevant since fractional\_reserve is 0%.

**Answer:** C

NO.3 Click the Exhibit button.



Based on the diagram shown, what is the appropriate FC switch topology?

- A. full mesh
- B. core-edge
- C. full cascade
- D. partial mesh


**Answer:** B

NO.4 Which three steps are required to make a LUN visible to a NPIV-supported VM? (Choose three.)

- A. Map a LUN to the igroup containing the NPIV WWPNs.
- B. Configure a matching NPIV port on the NetApp controller.
- C. Set options.npiv.enable to TRUE on the NetApp controller.
- D. Create a zone containing NetApp target ports and NPIV WWPNs.
- E. Create an igroup on the NetApp controller containing the NPIV WWPNs.

**Answer:** A,D,E

NO.5 Click the Exhibit button.



In the diagram shown, a portset is created on controller 1 with the command: `controller1>portset create -f ntapportset controller1:0b`. This portset is bound to the igroup with all the initiators in it. How many paths can the host 1 see to a LUN on controller 1?

- A.six paths
- B.four paths
- C.three paths
- D.one path

**Answer:** D

NO.6 A company has deployed a NetApp dual controller FAS3100 series with iSCSI. Currently, there are five Windows servers and three Novell NetWare servers connected to the IP SAN. The customer wants to connect an HP-UX server to the IP SAN.

Which cfmode allows all operating systems to co-exist in the IP SAN?

- A.single\_image
- B.standby
- C.cfmode not applicable
- D.dual\_fabric

**Answer:** C

NO.7 When setting up a VLAN for administrative security purposes, which four ports are the only important ports to include in the VLAN? (Choose four.)

- A.Storage Controllers Management Ethernet ports
- B.FC Switches Ethernet port
- C.Hosts iSCSI HBA Ethernet port

- D.Ethernet Switches Management port
- E.Storage Controller iSCSI Ethernet Target ports
- F.Hosts NIC Ethernet port

**Answer:** A,B,D,F

NO.8 After completing the configuration of a new Brocade Fibre Channel switch, which command do you use to verify your configuration?

- A.switchshow
- B.show config
- C.configshow
- D.cfgshow

**Answer:** C

NO.9 Which type of zoning does NetApp recommend?

- A.World Wide Name zoning
- B.World Wide Port Name zoning
- C.World Wide Node Name zoning
- D.Switch World Wide Name zoning

**Answer:** B

NO.10 Click the Exhibit button.

```
ISCI: iswta,  
Authentication failed  
for initiator  
<nodename>
```

You see the following error on the storage controller's console or messages file. What is the most likely cause for this error?

- A.portal group misconfiguration
- B.iSCSI CHAP misconfiguration
- C.iSNS misconfiguration
- D.IPsec misconfiguration

**Answer:** B